

HOMAG BMG 511 / 60 /12 / F / K

ONLINE MACHINE
PAGE



BRAND **HOMAG**

CODE **J11043**


MODEL **BMG 511 / 60 /12 / F / K**

TYPE **C.N.C. WORKING CENTER**

TECHNICAL DETAILS

C.N.C. WORKING CENTER (POINT TO POINT) 5 axis (DRIVE 5C +)
Gantry-drive (axe X) machine
Numerical Control Control (PC85) Software woodWOP
Safety cabin (enclosure) of the working head
Working table with pods and rails Mod. K-Table
Support rails (No.) 10 Table dimensions (mm) 1250
Clamps for workpieces fixing - Pneumatic Kit powerClamp-clamping element - K Table
Automatic Tools Changing System Tools storage plate (No. of folds-positions) 14
Max. useful working area (X - Y - Z) mm 6175 x max mm 1550 x mm 300
N° 2 Working areas - Vacuum pump (capacity m3/h) 2 x 100
Separate electric and command cabinet
Motorized carpet to evacuate chips and wastes. Total installed power (50 A)
WORKING GROUPS (TOP):
N° 9 Independent vertical boring spindles (High Speed 7500)
N° 4 Independent horizontal boring spindles (No.2 in X-axe + No. 2 in Y-axe)
Drilling head motor-power (Kw) 1,5
N° 1 Vertical electro-spindles HSKF63 DRIVE 5C + (KW 10)

PHOTOS



01



02

Photos


Code: J11043



03



04



05



06



07



08

Photos

Code: J11043



09



10