

HOMAG EdgeTeq S-500 (Profi KAL 370 / 10 / A20)

ONLINE MACHINE
PAGE



BRAND **HOMAG**

CODE **207026**

MODEL **EdgeTeq S-500 (Profi KAL 370 / 10 / A20)**

TYPE **EDGE BANDER**

TECHNICAL DETAILS

SINGLE SIDE EDGE BANDER (Left)

Edges (band in rolls) thickness (Min/Max) mm 0,3 / 3

Edges thickness in strips / lippings (min/max) mm 0,4 / 20

Panels thickness (min/max) mm 8 / 60

Numerical Control POWER CONTROL PC23 Powertouch / WoodCommander (TAPIO Ready)

Feeding speed m/min 16-25

Top pressure system with rubber belt

Spraying unit (Anti-sticking liquid)

In-feed fence, adjustable by N.C.

Pre-milling Unit (vertical joint trimmers) 2 x Kw 3

Lamps to heat the workpieces side

Glueing Unit (Hot Melt + Quick Melt Unit) FE-MA-TECH + QA/PU + PU65

Band Pressure zone (N.C. adjustment) "C 7"

Edge coils supporting unit (No. 2 reels) with SERVO-control edge feeding

Snipping (end-cutting) unit PK 25 (2 x Kw 0,8) max 25 m/min

Rough Trimming unit BF20 (2 x Kw 1,5)

Fine Trimming unit (Multiprofile) MF21 (2 x Kw 0,55) swevelling 0°-20°

Multi Function Unit (Profile contour Trimming unit) FK 30/V20 (1 x Kw 0,7) adjustable by NC

Milling-grooving units SF 21 (1 x Kw 5) 0°-90°

Profile edge scraping unit MN 21 (Multiprofile, by N.C.)

Glue scraping Unit FA 20

Buffing unit FA06 (2 x kW 0,18) + Free Space

PHOTOS



01



02

Photos

Code: 207026



03




04



05



06




07




08

Photos


Code: 207026




09




10




11



12



13



14

Photos

Code: 207026



15



16