

HOMAG TBR 100 + KAR 350 + TFU 200

ONLINE MACHINE
PAGE



BRAND **HOMAG**

CODE **K11042**

MODEL **TBR 100 + KAR 350 + TFU 200**

TYPE **EDGE BANDER**

TECHNICAL DETAILS

FLEXIBLE SYSTEM OF SINGLE-SIDE EDGEBANDING (BATCH-SIZE ONE) composed by:
M.01) PANELS HANDLING and RETURN SYSTEM Mod. PROFI TBR100/20/30/F
M.02) SINGLE-SIDE EDGE BANDER (RIGHT-HAND machine)"HOMAG" Mod. Profi KAR350/12/A
Panels thickness (min/max) mm 8 / 60 - Working width (min/max) mm 240 / 3000
Numerical Control / Software PC 22
Adjustable feeding speed (m/min) 18 - 32
Panels in-feed system WZ 14/30 (for panels up to mm 3000)
STANDARD Pre-milling Unit (vertical joint trimmers) into the machine, adjustable by N.C. (2xKw 3)
EXTRA Pre-milling Unit (vertical joint trimmers) left-side outside the machine (2 x Kw 4)
DOUBLE Glueing Unit (P.U.R. Glue + Quick Melt unit) 2 x PU 34
Pressure zone (N.C. adjustment) - Edge coils supporting unit (No. 12 reels)
Snipping (end-cutting) unit WK13
Rough Trimming unit (2 x Kw 055)
Fine Trimming unit (Multi-profile, adjustable by N.C.) MF 21 (2 x Kw 0,55)
Corner Rounding unit (Contour Trimming) FF 32 (4 x Kw 0,4)
Multi-Profile Copying unit adjustable by N.C.(fine and contour trimming) FK 31 (30 m/min)
recently added (in a technological "revamping" operation)
Profile Scraping unit (Multi-profile, adjustable by N.C.) MN 21 (servo)
Finish processing unit (Glue scraper + Buffing unit) FA 11
Jumping Milling grooving unit UF 11 (1 x Kw 4)
M.03) PORTAL BRIDGE (UNLOADING/LOADING) "BARGSTEDT" Mod. TFU200/L/30/12/S

PHOTOS



01




02

Photos

Code: K11042




03



04



05



06



07



08

Photos


Code: K11042



09




10




11



12



13



14

Photos

Code: K11042



15



16