

IMA + SIRIO Novimat / I / R75 / 690 / R3

ONLINE MACHINE
PAGE



BRAND **IMA + SIRIO**

CODE **X03002**

MODEL **Novimat / I / R75 / 690 / R3**

TYPE **EDGE BANDER**

TECHNICAL DETAILS

FLEXIBLE SYSTEM OF SINGLE-SIDE SIZING-EDGEBANDING (BATCH SIZE ONE)

Composed of the following machines:

M.01) PANELS HANDLING and RETURN SYSTEM "SIRIO" BATCH SIZE ONE

M.02) SINGLE-SIDE RIGHT-HAND SIZE-EDGE BANDER "IMA" Novimat /I/R75/690/R3

Panels thickness (min/max) mm 8 / 60 - Working width (min/max) mm 200 / 1300

Edges (tape) thickness in rolls (min/max) mm 0,3 / 3

Numerical Control / Software ICOS Open (Batch Size One)

Adjustable feeding speed (m/min) 6 - 30

Panels in-feed system A1 / 15

N° 2 Pre-milling Unit (vertical joint trimmers) adjustable by N.C. 08.378 (4 motors x Kw 4,5)

Glueing Unit (Hot Melt + Quick Melt Unit) VTG + 283.205

Edge coils supporting unit (No. 24 reels)

Snipping (end-cutting) unit 08.42 / 30 / B / LS1 (2 x Kw 0,2) 0°-25°

Rough Trimming unit 08.055.0.1680 (1 x Kw 0,85)

Fine Trimming unit (Multi-profile, adjustable by N.C.) 08.0587 HS/LS1 (2 x Kw 1)

Multi-Profile Copying unit by N.C. (fine and contour trimming) KFA x20 (1 x Kw 0,5) 20 m/min

Profile Scraping unit (Multi-profile, adjustable by N.C.) 08.516 HS/LS1


Glue scraping unit 08.521

Buffing unit 08.617-2 (2 x Kw 0,18)


N° 3 Milling grooving unit 08.190 (3 x Kw 4,5) Controlled by N.C. - (90°/180°/270°)

M.03) PORTAL BRIDGE (UNLOADING/LOADING) "SIRIO"

PHOTOS




01




02

Photos

Code: X03002




03



04




05



06




07



08

Photos


Code: X03002




09



10




11



12




13




14

Photos

Code: X03002



15



16